**ASME PTB-5-2013** 

# ASME Section VIII – Division 3 Example Problem Manual



Copyright © 2013 by the American Society of Mechanical Engineers. No reproduction may be made of this material without written consent of ASME.

## ASME Section VIII Division 3 Example Problem Manual

Prepared by:

Daniel T. Peters, PE Kevin Haley Ashwin Padmala Structural Integrity Associates, Inc.



×

This document was prepared as an account of work sponsored by ASME Pressure Technology Codes and Standards (PTCS) through the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, the author, nor others involved in the preparation or review of this document, nor any of their respective employees, members or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by ASME or others involved in the preparation or review of this document, or any agency thereof. The views and opinions of the authors, contributors and reviewers of the document expressed herein do not necessarily reflect those of ASME or others involved in the preparation or review of this document, or any agency thereof.

ASME does not "approve," "rate", or "endorse" any item, construction, proprietary device or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in the U.S.A.

#### TABLE OF CONTENTS

Foreword		
PAF	RT 1.	
1	Gene	eral Requirements
1	.1	Introduction
1	.2	Scope
1	.3	Organization and Use
PAF	RT 2.	
2	Exar	nple Problem Descriptions Part Contents
2	.1	General
2	.2	Calculation Precision
2	.3	Tables
PAF	RT 3.	
3	Exar	nple Problems Materials
3	.1	Example Problem E-KM-2.1.1 – Evaluation of Test Locations for Cylindrical Forgings in Accordance with KM-2
3	.2	Example Problem E-KM-2.1.2 – Calculation of Fracture Toughness based on Charpy Impact Tests (KM-251)
PAF	RT 4	
4	Exar	nple Problems General Design Issues
4	.1	Example Problem E-KD-2.1.1 – Determination of Design Pressure in Cylindrical Vessel – Monobloc Vessel
4	.2	Example Problem E-KD-2.1.2 – Determination of Design Pressure in Cylindrical Vessel – Dual Layered Vessel
4	.3	Example Problem E-KD-2.2.1 – Elastic Plastic Analysis
4	.4	Example Problem E-KD-2.2.2 – Protection Against Local Failure (Elastic-Plastic Analysis)
4	.5	Example Problem E-KD-2.2.3 – Ratcheting Assessment Elastic-Plastic Stress Analysis 26
4	.6	Example Problem E-KD-2.2.4 – Generate a Stress-Strain Curve for Use in Elastic-Plastic Finite Element Analysis
4	.7	Example Problem E-KD-2.3.1 – Linear Elastic Stress Analysis
4	.8	Example Problem E-KD-2.3.2 – Elastic Stress Analysis Protection Against Local Failure KD-247
PAF	RT 5.	
5	Exar	nple Problems Fatigue Assessment



	5.1	Example Problem E-KD-3.1.1 – Evaluation of Leak-Before-Burst in Cylindrical Vessel – Monobloc Vessel
	5.2	Example Problem E-KD-3.1.2 – Evaluation of Leak-Before-Burst in Cylindrical Vessel – Dual Layered Vessel
	5.3	Example Problem E-KD-3.1.3 – Fatigue Assessment of Welds – Elastic Analysis and Structural Stress
	5.4	Example Problem E-KD-3.1.4 – Non-Welded Vessel using Design Fatigue Curves
P/	ART 6	
6	Exar	nple Problems Life Assessment Using Fracture Mechanics
	6.1	Example Problem E-KD-4.1.1 – Determine the Design Life of a Vessel from E-KD-2.1.1 61
P/	ART 7	
7	Exar	nple Problems on Residual Stresses using Autofrettage
	7.1	Example Problem E-KD-5.1.1 – Determine Residual Stresses in Autofrettaged Cylinder Wall with known Autofrettage Pressure
	7.2	Example Problem E-KD-5.1.2 – Determine the Autofrettage Pressure in a Cylinder Wall with known Residual ID Tangential Strain
P/	ART 8	
8	Exar	nple Problems in Closures and Connections
	8.1	Example Problem E-KD-6.1.1 – Evaluation of a Connection in a 60 ksi Pressure Vessel at 100°F
	8.2	Example Problem E-KD-6.1.2 – Alternative Evaluation of Stresses in Threaded End Closures
P	ART 9	
9	Exar	nple Problems on Residual Stresses in Multiwall Vessels
	9.1	Example Problem E-KD-8.1.1 – Dual Wall Cylindrical Vessel Stress Distribution
P/	ART 1	0
10	) Exar	nple Problems in Determination of Hydrostatic Test Pressure
	10.1	Example Problem E-KT-3.1.1 – Determination of Hydrostatic Test Pressure in Cylindrical Vessel
P/	ART 1	1
11	Exar	nple Problems Using the Methods of Appendix E
	11.1	Example Problem E-AE-2.1.1 – Blind End Dimensions and Corner Stresses in a Vessel without Detailed Stress Analysis – Thick Wall Pressure Vessel
	11.2	Example Problem E-AE-2.1.2 – Blind End Dimensions and Corner Stresses in a Vessel without Detailed Stress Analysis – Thin Wall Pressure Vessel
	11.3	Example Problem E-AE-2.2.1 – Thread Load Distribution
R	eferenc	



#### LIST OF TABLES

Table 1 – Summary of Example Problems	4
Table 2 – E-KD-2.1.1-1 – Tabulated Stresses from Figures E-KD-2.1.1-1 and -2 at Corresponding Design Pressure	. 13
Table 3 – E-KD-2.3.1-1 – Results of the Elastic Analysis Using Criterion from Figure KD-240 of the 2010 Section VIII, Division 3, KD-240 ASME Code – Design Pressure	. 45
Table 4 – E-KD-2.3.1-2 – KD-247 Triaxial Stress Criteria	. 46
Table 5 – E-KD-3.1.4-1 – Principal Stresses in Cylinder	. 57
Table 6 – E-KD-3.1.4-2 – Calculated Stress Intensities and other Values for Fatigue	. 58
Table 7 – E-KD-3.1.4-3 – Values for Interpolation from Table KD-320.1 for Figure KD-320.3	. 59
Table 8 – E-AE-2.2.1-1 – Thread Load Distribution	. 90

#### LIST OF FIGURES

Figure 1 –	E-KD-2.1.1-1 – Stress Distribution in Monoblock Open End Shell	11
Figure 2 –	E-KD-2.1.1-2 – Stress Distribution in Monoblock Closed End Shell	12
Figure 3 –	E-KD-2.2.1-1 – ASME Section VIII Division 3 Monobloc Vessel Configuration (Y = 2.0) with 2 TPI ACME thread with full radius root	15
Figure 4 –	E-KD-2.2.1-2 – Mesh of the Monobloc Vessel with Detailed Views of the Blind End, Closure and Body Threaded Connection	16
Figure 5 –	E-KD-2.2.1-3 – Load and Boundary Conditions on the Monobloc Model	17
Figure 6 –	E-KD-2.2.1-4 – Results of the Elastic-Plastic Analysis for LC #1 at a Factored Load of 81,000 psi and acceleration of 1.8 g; von Mises Stress	19
Figure 7 –	E-KD-2.2.1-5 – Results of the Elastic-Plastic Analysis for LC #1 at a Factored Load of 81,000 psi and acceleration of 1.8g; Equivalent Plastic Strain	20
Figure 8 –	E-KD-2.2.1-6 – Results of the Elastic-Plastic Analysis for LC #2 at a Factored Load of 57,600 psi and gravitational load of 1.0 g; von Mises Stress	21
Figure 9 –	E-KD-2.2.1-7 – Results of the Elastic-Plastic Analysis for LC #2 at a Factored Load of 57,600 psi and gravitational load of 1.0 g; Equivalent Plastic Strain	22
Figure 10	– E-KD-2.2.2-1 – Contour Plot of the Strain Limit, $\varepsilon_L$	24
Figure 11	– E-KD-2.2.2-2 – Contour Plot of Equivalent Plastic Strain, $\varepsilon_{peq}$ - Local Criteria	25
Figure 12	– E-KD-2.2.2-3 – Elastic-Plastic Strain Limit Ratio Results for Local Failure Analysis Results at 57,600 psi.	26
Figure 13	<ul> <li>E-KD-2.2.3-1 – Loads and Boundary Conditions on the Monobloc Model for Ratcheting Assessment.</li> </ul>	27
Figure 14	– E-KD-2.2.3-2 – von Mises Stress Plot for Hydrostatic Test Pressure of 57,600 psig	29
Figure 15	- E-KD-2.2.3-3 - Equivalent Plastic Strain for Hydrostatic Test Pressure of 57,600 psig.	29
Figure 16	- E-KD-2.2.3-4 - von Mises Stress Plot for Operating Pressure of 40,000 psig, 1 <sup>st</sup> cycle	30

Figure 17	<ul> <li>E-KD-2.2.3-5 – Equivalent Plastic Strain for Operating Pressure of 40,000 psig, 1<sup>st</sup> cycle</li> </ul>	30
Figure 18	- E-KD-2.2.3-6 – von Mises Stress Plot for Operating Pressure of 40,000 psig, End of the 3 <sup>rd</sup> cycle	31
Figure 19	<ul> <li>E-KD-2.2.3-7 – Equivalent Plastic Strain for Operating Pressure of 40,000 psig, End of the 3<sup>rd</sup> cycle</li> </ul>	32
Figure 20	– E-KD-2.2.3-8 – Contour Plot of the Strain Limit, $\varepsilon_L$ in the overall model – Ratcheting Criteria	33
Figure 21	– E-KD-2.2.3-9 – Contour Plot of the Total Accumulated Damage, $D_{\epsilon t}$ – End of $3^{rd}$ Operating cycle	33
Figure 22	- E-KD-2.2.4-1 - True Stress - True Strain Curve for SA-723 Grade 2 Class 2	36
Figure 23	<ul> <li>E-KD-2.3.1-1 – ASME Section VIII Division 3 Monobloc Vessel Configuration with 2 TPI ACME thread with Full Radius Root.</li> </ul>	37
Figure 24	– E-KD-2.3.1-2 – Axisymmetric FE Model	38
Figure 25	- E-KD-2.3.1-3 – Mesh of the Monobloc Vessel with Detailed Views of the Blind End and Body Thread Components.	39
Figure 26	- E-KD-2.3.1-4 - Load and Boundary Conditions for the FE Model	40
Figure 27	- E-KD-2.3.1-5 – Results of Elastic Analysis, Stress Intensity in Deformed State for Design Pressure and the Critical Locations through the Vessel Requiring Stress Evaluation	41
Figure 28	<ul> <li>– E-KD-2.3.1-6 –Stress Classification Lines (SCLs) in the First Thread and Undercut Regions – Stress Intensity (psi)</li> </ul>	42
Figure 29	- E-KD-2.3.1-7 –Stress Classification Lines (SCLs) in the Body Shell Region Away from Discontinuities – Stress Intensity (psi)	43
Figure 30	- E-KD-2.3.1-8 –Stress Classification Lines (SCLs) in the Blind End Region – Stress Intensity (psi)	43
Figure 31	- E-KD-3.1.1-1 - Stress Distribution in Vessel Wall	49
Figure 32	- E-KD-3.1.1-2 – Cylinder – Surface Crack, Longitudinal Direction Semi-Elliptical Shape (API 579-1 / ASME FFS-1 Figure C.15)	50
Figure 33	– E-KD-3.1.3-1 – Stress Distribution in Monoblock Open End Shell from E-KD-2.1.1 Evaluated at 24,500 psi	56
Figure 34	- E-KD-4.1.1-1 - Stress through the Vessel Wall due to Operating Pressure (40 ksi)	62
Figure 35	– E-KD-4.1.1-2 – Stress Intensity Factor for the Crack and Aspect Ratio vs. Crack Depth	64
Figure 36	– E-KD-4.1.1-3 – Crack Size vs. Number of Cycles	65
Figure 37	– E-KD-4.1.1-4 – Example of a Failure Assessment Diagram (from API 579-1 / ASME FFS-1 Fig 9.20)	66
Figure 38	- E-KD-4.1.1-5 - Failure Assessment Diagram for E-KD-4.1.1	67
Figure 39	– E-KD-5.1.2-1 – Stress Distribution In Vessel Wall	73



Figure 40 – E-KD-6.1.1-1 – Typical High Pressure Connection (from Appendix H of ASME Section VIII, Division 3)	76
Figure 41 – E-KD-6.1.2-1 – Circumferential Stress at First Thread in Vessel Closure using KD- 631.2	79
Figure 42 – E-KD-8.1.1-1 – Stress Distribution In Dual Wall Vessel Liner and Body	82
Figure 43 – E-AE-2.2.2-1 – Dimensions of Blind End of a Thick Walled Pressure Vessel (from Figure E-110)	88



#### FOREWORD

In the 1980's, the Special Working Group on High Pressure Vessels was established for the purpose of creating a Standard dealing with the construction of "high pressure vessels" which are in general above 10,000 psi. This was based on recommendations made by the Operations, Applications, and Components Technical Committee of the ASME Pressure Vessel and Piping Division. "ASME Section VIII, Division 3 Alternative Rules for Construction of High Pressure Vessels" was first published in 1997. The Committee continues to refine and develop the Standard to this day.

Some of the innovative concepts which began with ASME Section VIII, Division 3 include:

- Use of elastic-plastic finite element analysis in design of pressure equipment
- One of the lowest design margins which was originally published at 2.0 and then lowered to 1.8
- Use of high strength materials for the pressure equipment used in manufacture of high pressure equipment
- Stringent requirements on fracture toughness for materials used in construction
- Complete volumetric and surface examination after hydrotest
- The use of fracture mechanics for evaluation of design life assessment in all cases where "Leak-Before-Burst" cannot be shown
- Consideration of beneficial residual stresses in the evaluation of the design life of vessels

ASME contracted with Structural Integrity Associates, Inc. to develop the ASME Section VIII, Division 3 Example Problem Manual. This publication is provided to illustrate some of the design calculations and methodologies used in the ASME B&PV Code, Section VIII, Division 3. It is recognized that many high pressure designs are unique and quite innovative and therefore, this example problem manual cannot cover all design aspects within the scope of Section VIII, Division 3. This is an attempt at covering some of the most common ones.

Established in 1880, the American Society of Mechanical Engineers (ASME) is a professional notfor-profit organization with more than 127,000 members promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety, and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit www.asme.org for more information.



### PART 1 General Requirements

Copyright © 2013 by the American Society of Mechanical Engineers. No reproduction may be made of this material without written consent of ASME.



#### 1 GENERAL REQUIREMENTS

#### 1.1 Introduction

ASME B&PV Code, Section VIII, Division 3 contains mandatory requirements, specific prohibitions, and non-mandatory guidance for the design, materials, fabrication, examination, inspection, testing, and certification of high pressure vessels and their associated pressure relief devices. This manual is based on the 2011 edition of the code.

#### 1.2 Scope

Example problems illustrating the use of the analysis methods in ASME B&PV Code, Section VIII, Division 3 are provided in this document.

#### **1.3 Organization and Use**

An introduction to the example problems in this document is described in Part 2 of this document. The remaining Parts of this document contain the example problems. The Parts 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, and 13 in this document coincide with the Parts KM, KD-2 Elastic – Plastic analysis, KD-2 Elastic Analysis, KD-3 fatigue analysis, KD-4 fracture mechanics assessment, KD-5 evaluation of autofrettaged vessels, KD-6 evaluation of openings and closures, KD-8 evaluation of residual stresses in dual walled vessels, KT determination of limits on hydrostatic test pressure, Appendix E determination of bottom head dimensions for thick & thin walls and evaluation of thread load distributions in the ASME B&PV Code, Section VIII, Division 3, respectively. All paragraph references are to the ASME B&PV Code, Section VIII, Division 3 2010 edition with the 2011 Addenda [1].

The example problems in this manual follow the calculation procedures in ASME B&PV Code, Section VIII, Division 3. It is recommended that users of this manual obtain a copy of "Criteria of the ASME Boiler and Pressure Vessel Code Section VIII, Division 3" [2] that contains criteria on the use of the Code.

It should be noted that VIII-3 requires the use of API 579-1/ASME FFS-1 [3] for some calculation procedures. When reviewing certain example problems in this manual, it is recommended that a copy be obtained of this standard.

Copyright © 2013 by the American Society of Mechanical Engineers. No reproduction may be made of this material without written consent of ASME.

